




















組合網格川字

次序	型號	照片	品項	大小mm				重量kg (未加鋼管)	載重Ton		
				長	寬	高	牙差		動載	靜載	架荷重
1	KI-BZ-1515A-M		組合網格川字	1500	1500	170	170/137	27.5	1	4	X
	KI-BZ-1515A-V							27.5	1	4	X
	KI-BZ-1515A-M+15S							41.75	1.5	6	0.8
	KI-BZ-1515A-V+15S							41.75	1.5	6	0.8
2	KI-BZ-1515B-M		組合網格川字	1500	1500	150	117/85	26	1	4	X
	KI-BZ-1515B-V							26	1	4	X
	KI-BZ-1515B-M+15S							40.25	1.5	6	0.8
	KI-BZ-1515B-V+15S							40.25	1.5	6	0.8
3	KI-BZ-1315A-M		組合網格川字	1500	1300	170	137/100	23.2	1	4	X
	KI-BZ-1315A-V							23.2	1	4	X
	KI-BZ-1315A-M+13S							34.3	1.5	6	0.8
	KI-BZ-1315A-V+13S							34.3	1.5	6	0.8
4	KI-BZ-1315B-M		組合網格川字	1500	1300	150	117/85	22	1	4	X
	KI-BZ-1315B-V							22	1	4	X
	KI-BZ-1315B-M+13S							33.1	1.5	6	0.8
	KI-BZ-1315B-V+13S							33.1	1.5	6	0.8
5	KI-BZ-1215A-M		組合網格川字	1500	1200	170	137/100	22.6	1	4	X
	KI-BZ-1215A-V							22.6	1	4	X
	KI-BZ-1215A-M+13S							33.15	1.5	6	0.8
	KI-BZ-1215A-V+13S							33.15	1.5	6	0.8
6	KI-BZ-1215B-M		組合網格川字	1500	1200	150	117/85	21.4	1	4	X
	KI-BZ-1215B-V							21.4	1	4	X
	KI-BZ-1215B-M+13S							31.95	1.5	6	0.8
	KI-BZ-1215B-V+13S							31.95	1.5	6	0.8
7	KI-BZ-1115A-M	圖片生成中	組合網格川字	1500	1100	170	137/100	21	1	4	X
	KI-BZ-1115A-V							21	1	4	X
	KI-BZ-1115A-M+12S							30.6	1.5	6	0.8
	KI-BZ-1115A-V+12S							30.6	1.5	6	0.8
8	KI-BZ-1115B-M	圖片生成中	組合網格川字	1500	1100	150	118/85	20	1	4	X
	KI-BZ-1115B-V							20	1	4	X
	KI-BZ-1115B-M+12S							29.6	1.5	6	0.8
	KI-BZ-1115B-V+12S							29.6	1.5	6	0.8
9	KI-BZ-1015A-M		組合網格川字	1500	1000	170	137/100	21.2	1	4	X
	KI-BZ-1015A-V							21.2	1	4	X
	KI-BZ-1015A-M+12S							30.5	1.5	6	0.8
	KI-BZ-1015A-V+12S							30.5	1.5	6	0.8
10	KI-BZ-1015B-M		組合網格川字	1500	1000	150	117/85	19.2	1	4	X
	KI-BZ-1015B-V							19.2	1	4	X
	KI-BZ-1015B-M+12S							28.5	1.5	6	0.8
	KI-BZ-1015B-V+12S							28.5	1.5	6	0.8
11	KI-BZ-1414A-M	圖片生成中	組合網格川字	1400	1400	170	137.5/100	22.8	1	4	X
	KI-BZ-1414A-V							22.8	1	4	X
	KI-BZ-1414A-M+13S							33.85	1.5	6	0.8
	KI-BZ-1414A-V+13S							33.85	1.5	6	0.8

組合網格川字

組合網格川字		照片	品項	大小mm				重量kg (未加鋼管)	載重Ton		
次序	型號			長	寬	高	牙差		動載	靜載	架荷重
12	KI-BZ-1414B-M		組合網格川字	1400	1400	150	117.5/100	21.4	1	4	X
	KI-BZ-1414B-V							21.4	1	4	X
	KI-BZ-1414B-M+13S							32.45	1.5	6	0.8
	KI-BZ-1414B-V+13S							32.45	1.5	6	0.8
13	KI-BZ-1214A-M		組合網格川字	1400	1200	170	137.5/100	21	1	4	X
	KI-BZ-1214A-V							21	1	4	X
	KI-BZ-1214A-M+13S							31.45	1.5	6	0.8
	KI-BZ-1214A-V+13S							31.45	1.5	6	0.8
14	KI-BZ-1214B-M		組合網格川字	1400	1200	150	117.5/100	19.7	1	4	X
	KI-BZ-1214B-V							19.7	1	4	X
	KI-BZ-1214B-M+13S							30.15	1.5	6	0.8
	KI-BZ-1214B-V+13S							30.15	1.5	6	0.8
15	KI-BZ-1114A-M		組合網格川字	1400	1100	170	137.5/100	20.3	1	4	X
	KI-BZ-1114A-V							20.3	1	4	X
	KI-BZ-1114A-M+13S							30.15	1.5	6	0.8
	KI-BZ-1114A-V+13S							30.15	1.5	6	0.8
16	KI-BZ-1114B-M		組合網格川字	1400	1100	150	117.5/100	19	1	4	X
	KI-BZ-1114B-V							19	1	4	X
	KI-BZ-1114B-M+13S							28.85	1.5	6	0.8
	KI-BZ-1114B-V+13S							28.85	1.5	6	0.8
17	KI-BZ-1014A-M		組合網格川字	1400	1000	170	137/100	19	1	4	X
	KI-BZ-1014A-V							19	1	4	X
	KI-BZ-1014A-M+13S							28.55	1.5	6	0.8
	KI-BZ-1014A-V+13S							28.55	1.5	6	0.8
18	KI-BZ-1014B-M		組合網格川字	1400	1000	150	117/85	18	1	4	X
	KI-BZ-1014B-V							18	1	4	X
	KI-BZ-1014B-M+13S							27.55	1.5	6	0.8
	KI-BZ-1014B-V+13S							27.55	1.5	6	0.8
19	KI-BZ-1313-M		組合網格川字	1300	1300	170	137.5/100.5	19	1	4	X
	KI-BZ-1313-V							19	1	4	X
	KI-BZ-1313-M+12S							28.6	1.5	6	0.8
	KI-BZ-1313-V+12S							28.6	1.5	6	0.8
20	KI-BZ-1113-M		組合網格川字	1300	1100	160	128/90	16.8	1	4	X
	KI-BZ-1113-V							16.8	1	4	X
	KI-BZ-1113-M+12S							26.4	1.5	6	0.8
	KI-BZ-1113-V+12S							26.4	1.5	6	0.8
21	KI-BZ-1212A-M		組合網格川字	1200	1200	160	125/88	16.8	1	4	X
	KI-BZ-1212A-V							16.8	1	4	X
	KI-BZ-1212A-M+12S							26.55	1.5	6	0.8
	KI-BZ-1212A-V+12S							26.55	1.5	6	0.8
22	KI-BZ-1212B-M		組合網格川字	1200	1200	150	115/88	16.3	1	4	X
	KI-BZ-1212B-V							16.3	1	4	X
	KI-BZ-1212B-M+12S							26.05	1.5	6	0.8
	KI-BZ-1212B-V+12S							26.05	1.5	6	0.8
23	KI-BZ-1112A-M		組合網格川字	1200	1100	160	127/80	16.5	1	4	X
	KI-BZ-1112A-V							16.5	1	4	X
	KI-BZ-1112A-M+12S							24.9	1.5	6	0.8
	KI-BZ-1112A-V+12S							24.9	1.5	6	0.8








組合網格川字

次序	型號	照片	品項	大小mm				重量kg (未加鋼管)	載重Ton		
				長	寬	高	牙差		動載	靜載	架荷重
24	KI-BZ-1112B-M		組合網格川字	1200	1100	150	115/80	15.8	1	4	X
	KI-BZ-1112B-V							15.8	1	4	X
	KI-BZ-1112B-M+12S							24.2	1.5	6	0.8
	KI-BZ-1112B-V+12S							24.2	1.5	6	0.8
25	KI-BZ-1012-M		組合網格川字	1200	1000	160	125/88	14.2	1	4	X
	KI-BZ-1012-V							14.2	1	4	X
	KI-BZ-1012-M+10S							21.1	1.5	6	0.8
	KI-BZ-1012-V+10S							21.1	1.5	6	0.8
26	KI-BZ-0812-M	圖片生成中 	組合網格川字	1200	800	160	127/98	13.1	1	4	X
	KI-BZ-0812-V							13.1	1	4	X
	KI-BZ-0812-M+10S							19.6	1.5	6	0.8
	KI-BZ-0812-V+10S							19.6	1.5	6	0.8
27	KI-BZ-1111A-M	圖片生成中 	組合網格川字	1100	1100	160	128/91	13	1	4	X
	KI-BZ-1111A-V							13	1	4	X
	KI-BZ-1111A-M+8S							18.2	1.5	6	0.8
	KI-BZ-1111A-V+8S							18.2	1.5	6	0.8
28	KI-BZ-1111B-M	圖片生成中 	組合網格川字	1100	1100	150	118/91	12.5	1	4	X
	KI-BZ-1111B-V							12.5	1	4	X
	KI-BZ-1111B-M+8S							17.7	1.5	6	0.8
	KI-BZ-1111B-V+8S							17.7	1.5	6	0.8
29	KI-BZ-1011A-M	圖片生成中 	組合網格川字	1100	1000	160	128/91	12.7	1	4	X
	KI-BZ-1011A-V							12.7	1	4	X
	KI-BZ-1011A-M+8S							17.7	1.5	6	0.8
	KI-BZ-1011A-V+8S							17.7	1.5	6	0.8
30	KI-BZ-1011B-M	圖片生成中 	組合網格川字	1100	1000	150	116/84	12.2	1	4	X
	KI-BZ-1011B-V							12.2	1	4	X
	KI-BZ-1011B-M+8S							17.2	1.5	6	0.8
	KI-BZ-1011B-V+8S							17.2	1.5	6	0.8
31	KI-BZ-0911A-M	圖片生成中 	組合網格川字	1100	900	160	128/91	12.2	1	4	X
	KI-BZ-0911A-V							12.2	1	4	X
	KI-BZ-0911A-M+8S							16.8	1.5	6	0.8
	KI-BZ-0911A-V+8S							16.8	1.5	6	0.8
32	KI-BZ-0911B-M	圖片生成中 	組合網格川字	1100	900	150	116/84	11.7	1	4	X
	KI-BZ-0911B-V							11.7	1	4	X
	KI-BZ-0911B-M+8S							16.3	1.5	6	0.8
	KI-BZ-0911B-V+8S							16.3	1.5	6	0.8
33	KI-BZ-0811A-M	圖片生成中 	組合網格川字	1100	800	160	128/91	11.9	1	4	X
	KI-BZ-0811A-V							11.9	1	4	X
	KI-BZ-0811A-M+8S							16.5	1.5	6	0.8
	KI-BZ-0811A-V+8S							16.5	1.5	6	0.8
34	KI-BZ-0811B-M	圖片生成中 	組合網格川字	1100	800	150	116/84	11.3	1	4	X
	KI-BZ-0811B-V							11.3	1	4	X
	KI-BZ-0811B-M+8S							15.9	1.5	6	0.8
	KI-BZ-0811B-V+8S							15.9	1.5	6	0.8












組合網格川字

次序	型號	照片	品項	大小mm				重量kg (未加鋼管)	載重Ton		
				長	寬	高	牙差		動載	靜載	架荷重
35	KI-BZ-1010-M	圖片生成中	組合網格川字	1000	1000	160	126/86	11	1	4	X
	KI-BZ-1010-V							11	1	4	X
	KI-BZ-1010-M+8S							15.8	1.5	6	0.8
	KI-BZ-1010-V+8S							15.8	1.5	6	0.8
36	KI-BZ-0810-M	圖片生成中	組合網格川字	1000	800	160	127/96	10.4	1	4	X
	KI-BZ-0810-V							10.4	1	4	X
	KI-BZ-0810-M+8S							15.2	1.5	6	0.8
	KI-BZ-0810-V+8S							15.2	1.5	6	0.8
37	KI-BZ-0608-M		組合網格川字	800	600	150	118/88	6	1	4	X
	KI-BZ-0608-V							6	1	4	X
	KI-BZ-0608-M+7S								1.5	6	0.8
	KI-BZ-0608-V+7S								1.5	6	0.8
38	KI-BZ-0808-M		組合網格川字	800	800	150	118/88	6.8	1	4	X
	KI-BZ-0808-V							6.8	1	4	X
	KI-BZ-0808-M+7S							10.3	1.5	6	0.8
	KI-BZ-0808-V+7S							10.3	1.5	6	0.8












組合平板川字

39	KI-BZD-1515A-M		組合平板川字	1500	1500	170	137/110	29.3	1	4	X
	KI-BZD-1515A-V							29.3	1	4	X
	KI-BZD-1515A-M+15S							43.55	1.5	6	0.8
	KI-BZD-1515A-V+15S							43.55	1.5	6	0.8
40	KI-BZD-1515B-M		組合平板川字	1500	1500	150	117/86	27.8	1	4	X
	KI-BZD-1515B-V							27.8	1	4	X
	KI-BZD-1515B-M+15S							42.05	1.5	6	0.8
	KI-BZD-1515B-V+15S							42.05	1.5	6	0.8
41	KI-BZD-1315A-M		組合平板川字	1500	1300	170	137/100	24.8	1	4	X
	KI-BZD-1315A-V							24.8	1	4	X
	KI-BZD-1315A-M+13S							36.25	1.5	6	0.8
	KI-BZD-1315A-V+13S							36.25	1.5	6	0.8
42	KI-BZD-1315B-M		組合平板川字	1500	1300	150	117/85	23.6	1	4	X
	KI-BZD-1315B-V							23.6	1	4	X
	KI-BZD-1315B-M+13S							35.05	1.5	6	0.8
	KI-BZD-1315B-V+13S							35.05	1.5	6	0.8
43	KI-BZD-1215A-M		組合平板川字	1500	1200	170	137/100	24	1	4	X
	KI-BZD-1215A-V							24	1	4	X
	KI-BZD-1215A-M+13S							35.15	1.5	6	0.8
	KI-BZD-1215A-V+13S							35.15	1.5	6	0.8
44	KI-BZD-1215B-M		組合平板川字	1500	1200	150	117/85	22.8	1	4	X
	KI-BZD-1215B-V							22.8	1	4	X
	KI-BZD-1215B-M+13S							33.95	1.5	6	0.8
	KI-BZD-1215B-V+13S							33.95	1.5	6	0.8
45	KI-BZD-1115A-M		組合平板川字	1500	1100	170	137/100	22.2	1	4	X
	KI-BZD-1115A-V							22.2	1	4	X
	KI-BZD-1115A-M+12S							27.9	1.5	6	0.8
	KI-BZD-1115A-V+12S							27.9	1.5	6	0.8










組合網格川字

次序	型號	照片	品項	大小mm				重量kg (未加鋼管)	載重Ton		
				長	寬	高	牙差		動載	靜載	架荷重
46	KI-BZD-1115B-M		組合平板川字	1500	1100	150	118/85	21.2	1	4	X
	KI-BZD-1115B-V							21.2	1	4	X
	KI-BZD-1115B-M+12S							26.9	1.5	6	0.8
	KI-BZD-1115B-V+12S							26.9	1.5	6	0.8
47	KI-BZD-1015A-M		組合平板川字	1500	1000	170	137/100	21.2	1	4	X
	KI-BZD-1015A-V							21.2	1	4	X
	KI-BZD-1015A-M+12S							30.5	1.5	6	0.8
	KI-BZD-1015A-V+12S							30.5	1.5	6	0.8
48	KI-BZD-1015B-M		組合平板川字	1500	1000	150	117/85	20.2	1	4	X
	KI-BZD-1015B-V							20.2	1	4	X
	KI-BZD-1015B-M+12S							29.5	1.5	6	0.8
	KI-BZD-1015B-V+12S							29.5	1.5	6	0.8
49	KI-BZD-1414A-M		組合平板川字	1400	1400	170	137.5/100	24.6	1	4	X
	KI-BZD-1414A-V							24.6	1	4	X
	KI-BZD-1414A-M+13S							36.65	1.5	6	0.8
	KI-BZD-1414A-V+13S							36.65	1.5	6	0.8
50	KI-BZD-1414B-M		組合平板川字	1400	1400	150	117.5/100	23.2	1	4	X
	KI-BZD-1414B-V							23.2	1	4	X
	KI-BZD-1414B-M+13S							34.25	1.5	6	0.8
	KI-BZD-1414B-V+13S							34.25	1.5	6	0.8
51	KI-BZD-1214A-M		組合平板川字	1400	1200	170	137.5/100	22.5	1	4	X
	KI-BZD-1214A-V							22.5	1	4	X
	KI-BZD-1214A-M+13S							32.95	1.5	6	0.8
	KI-BZD-1214A-V+13S							32.95	1.5	6	0.8
52	KI-BZD-1214B-M		組合平板川字	1400	1200	150	117.5/85	21.2	1	4	X
	KI-BZD-1214B-V							21.2	1	4	X
	KI-BZD-1214B-M+13S							31.65	1.5	6	0.8
	KI-BZD-1214B-V+13S							31.65	1.5	6	0.8
53	KI-BZD-1114A-M		組合平板川字	1400	1100	170	137.5/100	21.5	1	4	X
	KI-BZD-1114A-V							21.5	1	4	X
	KI-BZD-1114A-M+13S							31.35	1.5	6	0.8
	KI-BZD-1114A-V+13S							31.35	1.5	6	0.8
54	KI-BZD-1114B-M		組合平板川字	1400	1100	150	117.5/100	20.2	1	4	X
	KI-BZD-1114B-V							20.2	1	4	X
	KI-BZD-1114B-M+13S							30.05	1.5	6	0.8
	KI-BZD-1114B-V+13S							30.05	1.5	6	0.8
55	KI-BZD-1014A-M		組合平板川字	1400	1000	170	137.5/100	20.5	1	4	X
	KI-BZD-1014A-V							20.5	1	4	X
	KI-BZD-1014A-M+13S							30.05	1.5	6	0.8
	KI-BZD-1014A-V+13S							30.05	1.5	6	0.8
56	KI-BZD-1014B-M		組合平板川字	1400	1000	150	117.5/100	19.2	1	4	X
	KI-BZD-1014B-V							19.2	1	4	X
	KI-BZD-1014B-M+13S							28.75	1.5	6	0.8
	KI-BZD-1014B-V+13S							28.75	1.5	6	0.8

組合網格川字

次序	型號	照片	品項	大小mm				重量kg (未加鋼管)	載重Ton		
				長	寬	高	牙差		動載	靜載	架荷重
57	KI-BZD-1313-M		組合平板川字	1300	1300	170	37.5/10	20.5	1	4	X
	KI-BZD-1313-V							20.5	1	4	X
	KI-BZD-1313-M+12S							30.1	1.5	6	0.8
	KI-BZD-1313-V+12S							30.1	1.5	6	0.8
58	KI-BZD-1113-M		組合平板川字	1300	1100	160	128/90	18.2	1	4	X
	KI-BZD-1113-V							18.2	1	4	X
	KI-BZD-1113-M+12S							27.8	1.5	6	0.8
	KI-BZD-1113-V+12S							27.8	1.5	6	0.8
59	KI-BZD-1212A-M		組合平板川字	1200	1200	160	125/88	18	1	4	X
	KI-BZD-1212A-V							18	1	4	X
	KI-BZD-1212A-M+12S							27	1.5	6	0.8
	KI-BZD-1212A-V+12S							27	1.5	6	0.8
60	KI-BZD-1212B-M		組合平板川字	1200	1200	150	115/88	17.2	1	4	X
	KI-BZD-1212B-V							17.2	1	4	X
	KI-BZD-1212B-M+12S							26.2	1.5	6	0.8
	KI-BZD-1212B-V+12S							26.2	1.5	6	0.8
61	KI-BZD-1112A-M		組合平板川字	1200	1100	160	127/80	17.2	1	4	X
	KI-BZD-1112A-V							17.2	1	4	X
	KI-BZD-1112A-M+12S							25.6	1.5	6	0.8
	KI-BZD-1112A-V+12S							25.6	1.5	6	0.8
62	KI-BZD-1112B-M		組合平板川字	1200	1100	150	115/80	16.4	1	4	X
	KI-BZD-1112B-V							16.4	1	4	X
	KI-BZD-1112B-M+12S							24.8	1.5	6	0.8
	KI-BZD-1112B-V+12S							24.8	1.5	6	0.8
63	KI-BZD-1012-M		組合平板川字	1200	1000	160	125/88	15.5	1	4	X
	KI-BZD-1012-V							15.5	1	4	X
	KI-BZD-1012-M+10S							22.4	1.5	6	0.8
	KI-BZD-1012-V+10S							22.4	1.5	6	0.8
64	KI-BZD-0812-M		組合平板川字	1200	800	160	127/98	14	1	4	X
	KI-BZD-0812-V							14	1	4	X
	KI-BZD-0812-M+10S							20.5	1.5	6	0.8
	KI-BZD-0812-V+10S							20.5	1.5	6	0.8
65	KI-BZD-1111A-M		組合平板川字	1100	1100	160	128/91	14	1	4	X
	KI-BZD-1111A-V							14	1	4	X
	KI-BZD-1111A-M+8S							19.2	1.5	6	0.8
	KI-BZD-1111A-V+8S							19.2	1.5	6	0.8
66	KI-BZD-1111B-M		組合平板川字	1100	1100	150	118/91	13.5	1	4	X
	KI-BZD-1111B-V							13.5	1	4	X
	KI-BZD-1111B-M+8S							18.7	1.5	6	0.8
	KI-BZD-1111B-V+8S							18.7	1.5	6	0.8
67	KI-BZD-1011A-M		組合平板川字	1100	1000	160	128/91	13.5	1	4	X
	KI-BZD-1011A-V							13.5	1	4	X
	KI-BZD-1011A-M+8S							18.5	1.5	6	0.8
	KI-BZD-1011A-V+8S							18.5	1.5	6	0.8

組合網格川字

		照片	品項	大小mm				重量kg (未加鋼管)	載重Ton		
次序	型號			長	寬	高	牙差		動載	靜載	架荷重
68	KI-BZD-1011B-M		組合平板川字	1100	1000	150	116/84	13	1	4	X
	KI-BZD-1011B-V							13	1	4	X
	KI-BZD-1011B-M+8S							18	1.5	6	0.8
	KI-BZD-1011B-V+8S							18	1.5	6	0.8
69	KI-BZD-0911A-M		組合平板川字	1100	900	160	128/91	13	1	4	X
	KI-BZD-0911A-V							13	1	4	X
	KI-BZD-0911A-M+8S							17.6	1.5	6	0.8
	KI-BZD-0911A-V+8S							17.6	1.5	6	0.8
70	KI-BZD-0911B-M		組合平板川字	1100	900	150	116/84	12.5	1	4	X
	KI-BZD-0911B-V							12.5	1	4	X
	KI-BZD-0911B-M+8S							17.1	1.5	6	0.8
	KI-BZD-0911B-V+8S							17.1	1.5	6	0.8
71	KI-BZD-0811A-M		組合平板川字	1100	800	160	128/91	12.5	1	4	X
	KI-BZD-0811A-V							12.5	1	4	X
	KI-BZD-0811A-M+8S							17.1	1.5	6	0.8
	KI-BZD-0811A-V+8S							17.1	1.5	6	0.8
72	KI-BZD-0811B-M		組合平板川字	1100	800	150	116/84	12	1	4	X
	KI-BZD-0811B-V							12	1	4	X
	KI-BZD-0811B-M+8S							16.6	1.5	6	0.8
	KI-BZD-0811B-V+8S							16.6	1.5	6	0.8
73	KI-BZD-1010-M		組合平板川字	1000	1000	160	126/86	11.8	1	4	X
	KI-BZD-1010-V							11.8	1	4	X
	KI-BZD-1010-M+8S							16.6	1.5	6	0.8
	KI-BZD-1010-V+8S							16.6	1.5	6	0.8
74	KI-BZD-0810-M		組合平板川字	1000	800	160	127/96	11	1	4	X
	KI-BZD-0810-V							11	1	4	X
	KI-BZD-0810-M+8S							15.4	1.5	6	0.8
	KI-BZD-0810-V+8S							15.4	1.5	6	0.8
75	KI-BZD-0608-M		組合平板川字	800	600	150	115/88	6.4	1	4	X
	KI-BZD-0608-V								1	4	X
	KI-BZD-0608-M+7S								1.5	6	0.8
	KI-BZD-0608-V+7S								1.5	6	0.8
76	KI-BZD-0808-M		組合平板川字	800	800	150	118/88	7.3	1	4	X
	KI-BZD-0808-V							7.3	1	4	X
	KI-BZD-0808-M+7S							10.8	1.5	6	0.8
	KI-BZD-0808-V+7S							10.8	1.5	6	0.8